UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,424	03/13/2007	Ronald D. Berger	62270(71699)	5433
.,	7590	EXAM	IINER	
P.O. BOX 55874			SCOTT, AMANDA L	
BOSTON, MA 02205			ART UNIT	PAPER NUMBER
			3739	
			MAIL DATE	DELIVERY MODE
			09/14/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/576,424	BERGER, RONALD D.				
Office Action Summary	Examiner	Art Unit				
	Amanda Scott	3739				
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet	with the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING Description of the may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN .136(a). In no event, however, may I will apply and will expire SIX (6) Mitte, cause the application to become	AICATION. a reply be timely filed ONTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>19 A</u> 2a)□ This action is FINAL . 2b)⊠ Thi	A <i>pril 2006</i> . is action is non-final.					
						
closed in accordance with the practice under						
Disposition of Claims						
4) Claim(s) 1,9,15,26-31,37-41,46-49,57-60,65-4 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1,9,15,26-31,37-41,46-49,57-60,65-4 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	awn from consideration. 68 and 73 is/are rejected.					
Application Papers						
9) ☐ The specification is objected to by the Examin 10) ☐ The drawing(s) filed on 19 April 2006 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	a) accepted or b) objection accepted or b) objection is required if the drawing the drawired if the drawir	ance. See 37 CFR 1.85(a). ng(s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat * See the attached detailed Office action for a list 	nts have been received. Its have been received in bority documents have been au (PCT Rule 17.2(a)).	Application No en received in this National Stage				
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☑ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 04/19/2006.	Paper N	v Summary (PTO-413) o(s)/Mail Date f Informal Patent Application 				

DETAILED ACTION

Drawings

The drawings are objected to because the numbers in the drawings are hand written and are hard to read. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is

Art Unit: 3739

requested in correcting any errors of which applicant may become aware in the specification.

Claim Objections

Claim 31 objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claim 31 is written as a dependent claim but does not state any claim dependency.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 9, 15, 26-31, 37-41, 46-49, 57-60, 65-68, and 73 are rejected under 35 U.S.C. 102(B) as being anticipated by Lesh (US 5,971,983).

Regarding claim 1, Lesh discloses a catheter device comprising an elongated body member having a distal portion (12) and a deflection mechanism operably coupled to the distal portion so as to cause the distal portion to deflect with respect to a longitudinal axis of the elongated body member (view figures 3-8), wherein the catheter

Art Unit: 3739

device further includes: a guide member (3,4); a guiding mechanism (13) coupled to the elongated body member and configured so as to guide the guide member; and wherein the guiding mechanism includes an exit portion from which the guide member exits when the guide member is being deployed from the guiding mechanism, where the exit portion is disposed with respect to the distal portion so the distal portion deflects from and with respect to the guide member, when the guide member is in deployed condition (view figures 3-8, column 10, line 45- column 11, line 67).

Page 4

Regarding claim 9, Lesh discloses the catheter device of claim 1, wherein the guiding mechanism comprises an artifact (30,40) on the external surface of the elongated body member and extending axially along the elongated body member, where the artifact and the guide member are configured and arranged so the guide member is moveably retained by the artifact and so as to allow for deployment of the guide member (column 10, lines 53-67).

Regarding claim 15, Lesh discloses a catheter device comprising an elongated body member having a distal portion (12) and a deflection mechanism operably coupled to the distal portion so as to cause the distal portion to deflect with respect to a longitudinal axis of the elongated body member (view figures 3-8), wherein the catheter device further includes: a guide member (3,4); a guiding mechanism (13) coupled to the elongated body member and configured so as to guide the guide member; an ablation device (20) being disposed in the distal portion, the ablation device being configured and arranged to ablate tissues proximal the ablation device; wherein the guiding mechanism includes an exit portion from which the guide member exits when the guide

member is being deployed from the guiding mechanism; wherein the exit portion is disposed with respect to the distal portion so the distal portion deflects from and with respect to the guide member, when the guide member is in deployed condition; wherein the exit portion is configured and arranged so that the distal portion when in a deflected condition is rotatable about the guide member, when the guide member is in a deployed condition (view figures 3-8 and 16-19, column 24, line 55- column 25, line 20).

Regarding claim 26, Lesh discloses a method for ablating tissue in particular atrial tissue, comprising the steps providing a deflection catheter device that includes a deflectable distal portion (12), an ablation device (20) disposed within the deflectable distal portion and a guide member (3,4); deploying the guide member so at least a distal portion thereof is deployed through an opening in, and disposed in, a chamber, vessel or vein of a body; deflecting the deflectable distal portion with respect to the guide member(view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 27, Lesh discloses the tissue ablating method of claim 26, further comprising the step (s) contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 28, Lesh discloses the tissue ablating method of claim 27, further comprising the step (s) rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Application/Control Number: 10/576,424 Page 6

Art Unit: 3739

Regarding claim 29, Lesh discloses the tissue ablating method of claim 28, further comprising the step (s) of : de-activating the ablation device during said rotating; and activating the ablation device after contacting said another tissue area(view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 30, Lesh discloses the tissue ablating method of claim 28, further comprising the step (s) maintaining the ablation device in an activated condition as the deflectable distal portion is being rotated about the guide member(view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 31, Lesh discloses the tissue ablating method of claims further comprising the step (s) the deflectable distal portion during said rotating so as to maintain the at least a part of the distal portion in contact with the tissues (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20 and column 25, line 40- column 26, line 42).

Regarding claim 37, Lesh discloses a method for ablating tissue in particular atrial tissue, comprising the steps providing a deflection catheter device that includes a deflectable distal portion (12), an ablation device (20) disposed within the deflectable distal portion, a guide member and a guiding mechanism that moveably retains at least a portion of the guide member(3,4-guidewires, and 30,40 guidwire tracking members); localizing an end of the deflectable distal portion with respect an opening in a chamber, vessel or vein of a mammalian body; deploying the guide member from the guiding mechanism so at least a distal portion thereof is deployed through the opening in, and is disposed in, the chamber, vessel or vein of the mammalian body; deflecting the

Page 7

deflectable distal portion with respect to the guide member; contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 38, Lesh discloses the tissue ablating method of claim 37, further comprising the step (s) of : rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 39, Lesh discloses the tissue ablating method of claim 38, further comprising the step (s) of : de-activating the ablation device during said rotating; and activating the ablation device after contacting said another tissue area (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20 and column 25, line 40- column 26, line 42).

Regarding claim 40, Lesh discloses the tissue ablating method of claim 38, further comprising the step (s) of : maintaining the ablation device in an activated condition as the deflectable distal portion is being rotated about the guide member (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 41, Lesh discloses the tissue ablating method of claim 38, further comprising the step (s) re-configuring the deflectable distal portion during said rotating so as to maintain the at least a part of the distal portion in contact with the tissues(view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 73, Lesh discloses the method of claim 37 further comprising the steps monitoring electrical conduction signals along a pulmonary vein; identifying an origin of atrial arrhythmias as being located in the pulmonary vein based upon the monitored conduction signals (column 22, lines 40-67).

Regarding claim 46, Lesh discloses a method for treating arrhythmias, comprising the steps providing a deflection catheter device that includes a deflectable distal portion(12), an ablation device(20) disposed within the deflectable distal portion and a guide member (3,4 guidewires); deploying the guide member so at least a distal portion thereof is deployed through an opening in, and disposed in, a vein of a mammalian body; deflecting the deflectable distal portion with respect to the guide member (view figures 3-8, and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 47, Lesh discloses the method of claim 46, further comprising the step (s) of: contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device (view figures 3-8 and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 48, Lesh discloses the tissue of claim 47, further comprising the step (s) rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area (view figures 3-8; column 24, line 55- column 25, line 20).

Regarding claim 49, Lesh discloses the method of claim 48, further comprising the step (s) de-activating the ablation device during said rotating; and activating the

Application/Control Number: 10/576,424

Art Unit: 3739

ablation device after contacting said another tissue area (column 25, line 40- column 26, line 42).

Page 9

Regarding claim 57, Lesh discloses a method for treating arrhythmias, comprising the steps of: providing a deflection catheter device that includes a deflectable distal portion (12), an ablation device (20) disposed within the deflectable distal portion, a guide member and a guiding mechanism that moveably retains at least a portion of the guide member(3,4-guidewires, and 30,40 guidewire tracking members); localizing an end of the deflectable distal portion within the left atrium of a mammalian body and with respect to an opening in a vein; deploying the guide member from the guiding mechanism so at least a distal portion thereof is deployed through the opening in, and is disposed in, the vein; deflecting the deflectable distal portion with respect to the guide member; contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device(view figures 3-8; column 24, line 55- column 25, line 20).

Regarding claim 58, Lesh discloses the method of claim 57, further comprising the step (s) of: rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area(view figures 3-8 and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 59, Lesh discloses the method of claim 58, further comprising the step (s) de-activating the ablation device during said rotating; and activating the

Application/Control Number: 10/576,424 Page 10

Art Unit: 3739

ablation device after contacting said another tissue area (view figures 3-8 and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 60, Lesh discloses the method of claim 58, further comprising the step (s) of: maintaining the ablation device in an activated condition as the deflectable distal portion is being rotated about the guide member (view figures 3-8 and 16-19; column 24, line 55- column 25, line 20 and column 25, line 40- column 26, line 42).

Regarding claim 65, Lesh discloses a method for treating left atrial arrhythmia in a left atrium of a mammalian body; comprising the steps of: providing a deflection catheter device that includes a deflectable distal portion (view figure 3, 12), an ablation device(20) disposed within the deflectable distal portion, a guide member and a guiding mechanism (3,4-guidewires, and 30,40 guidewire tracking members) that moveably retains at least a portion of the guide member; introducing a portion of the catheter device including the deflectable distal portion into the left atrium; positioning an end of the deflectable distal portion with respect to an a pulmonary vein extending from the left atrium; deploying the guide member from the guiding mechanism so at least a distal portion thereof is deployed through the opening in, and is disposed in, the pulmonary vein(83,84); deflecting the deflectable distal portion with respect to the guide member; contacting a tissue area including tissues to be ablated with at least a part of the deflectable portion, where the ablation device is disposed within the part; and actuating the ablation device (view figures 3-8; column 24, line 55- column 25, line 20).

Regarding claim 66, Lesh discloses the method of claim 65, further comprising the step (s) rotating the deflectable distal portion about the guide member; and wherein said contacting includes contacting another tissue area(column 24, line 55- column 25, line 20 and column 25, line 40- column 26, line 42).

Regarding claim 67, Lesh discloses the method of claim 66, further comprising the step (s) de-activating the ablation device during said rotating; and activating the ablation device after contacting said another tissue area(view figures 3-8 and 16-19; column 24, line 55- column 25, line 20).

Regarding claim 68, Lesh discloses the method of claim 66, further comprising the step (s) of: maintaining the ablation device in an activated condition as the deflectable distal portion is being rotated about the guide member(view figures 3-8 and 16-19; column 24, line 55- column 25, line 20).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amanda Scott whose telephone number is (571)270-7103. The examiner can normally be reached on Monday thru Thursday, 8:00 A.M. to 5:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/576,424 Page 12

Art Unit: 3739

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/A. S./ Examiner, Art Unit 3739 /Thomas J Sweet/ Supervisory Patent Examiner, Art Unit 3739